


Vicinity Map 4540 Pringle Road SE



Legend


- Taxlots
- Urban Growth Boundary
- City Limits
- Outside Salem City Limits
- Historic District
- Schools
- Parks

0 100 200 400 Feet



CITY OF Salem
AT YOUR SERVICE
Community Development Dept.

This product is provided as is, without warranty. In no event is the City of Salem liable for damages from the use of this product. This product is subject to license and copyright limitations and further distribution or resale is prohibited.

[illegible]

tree protection specifications

1. PRECONSTRUCTION CONFERENCE. PRIOR TO THE START OF CONSTRUCTION ACTIVITY, THE CONTRACTOR SHALL COORDINATE WITH THE PROJECT ARBORIST IN A TIMELY MANNER TO REVIEW THE TREE PROTECTION PLAN. VARYING TREE TRUNKS TO BE RETAINED ARE IDENTIFIED WITH NUMBERED TAGS ON THE GROUND, AND TO BE REMOVED ARE IDENTIFIED BY THE INSTALLATION OF TREE PROTECTION MEASURES.
2. FENCING. TREES TO REMAIN ON SITE SHALL BE PROTECTED BY INSTALLATION OF TREE PROTECTION FENCING AS SPECIFIED ON SITE PLANS IN ORDER TO PREVENT INJURY TO TREE TRUNKS OR ROOTS, OR SOIL COMPACTION WITHIN THE ROOT PROTECTION AREA. FENCES SHALL BE A MINIMUM 6-FOOT HIGH 2-INCH CHAIN LINK MESH SECURED TO METAL POSTS DRIVEN INTO THE GROUND. THE CONTRACTOR IS RESPONSIBLE FOR COORDINATING WITH THE PROJECT ARBORIST PRIOR TO OPENING, ADJUSTING OR REMOVING TREE PROTECTION FENCING.
3. TREE PROTECTION ZONE. WITHOUT AUTHORIZATION FROM THE PROJECT ARBORIST, NONE OF THE FOLLOWING SHALL OCCUR BENEATH THE DRUPLINE OF ANY PROTECTED TREE:
 - a) GRADE CHANGE OR CUT AND FILL;
 - b) NEW IMPERVIOUS SURFACES;
 - c) UTILITY OR DRAINAGE FIELD PLACEMENT;
 - d) STAGING OR STORAGE OF MATERIALS AND EQUIPMENT; OR
 - e) VEHICLE MANEUVERING.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR CONTACTING THE PROJECT ARBORIST IN A TIMELY MANNER PRIOR TO WORKING BENEATH PROTECTED TREE DRUPLINES. ROOT PROTECTION ZONES MAY BE ENTERED FOR TASKS LIKE SURVEYING, MEASURING AND SAMPLING. FENCES MUST BE CLOSED UPON COMPLETION OF THESE TASKS.

4. TREE AND STUMP REMOVAL. TREES TO BE REMOVED SHALL BE CLEARLY IDENTIFIED WITH TREE-MARKING PAINT OR OTHER METHODS APPROVED IN ADVANCE BY THE PROJECT ARBORIST. PROTECTION FENCING MAY BE USED TO PROTECT REMOVED TREES. FOR REMOVAL OF TREE #0648 AND #0637, IN THE REAR OF LOT 9 FOR REMOVAL OF TREE #0306 AND #0310, IN THE REAR OF LOT 9 FOR REMOVAL OF TREE #0248 AND #0375, IN THE REAR OF LOT 9 FOR REMOVAL OF TREE #0316 AND #0339, WITHIN TREE PROTECTION ZONES, TREE REMOVAL SHALL BE PERFORMED WITH HAND TOOLS UNLESS ALL TREES SHALL BE DIRECTIONALLY FELLING. STUMPS SHALL BE CUT TO AVOID DAMAGE TO REMAINING NEARBY TREES. THE STUMPS OF THESE PARTICULAR TREES SHALL REMAIN IN THE GROUND, BE REMOVED APPROXIMATELY 6-INCHES BELOW THE GROUND SURFACE USING A STUMP GRINDER, OR ELSE EXTRACTED FROM THE GROUND UNDER ARBORIST SUPERVISION.
5. PRUNING. PRUNING MAY BE NEEDED TO PROVIDE OVERHEAD CLEARANCE AND TO REMOVE DEAD AND DEFECTIVE BRANCHES FOR SAFETY. THE PROJECT ARBORIST CAN HELP IDENTIFY WHERE PRUNING IS REQUIRED. PRUNING SHALL BE REQUESTED FOR REMOVAL. HAVE BEEN REMOVED AND THE SITE IS PREPARED FOR CONSTRUCTION. TREE REMOVAL AND PRUNING SHALL BE PERFORMED BY A QUALIFIED TREE SERVICE.
6. EXCAVATION AND ROOT PRUNING. EXCAVATION BENEATH PROTECTED TREE DRUPLINES SHALL BE AVOIDED IF ALTERNATIVES ARE AVAILABLE. IF EXCAVATION IS UNAVOIDABLE, THE PROJECT ARBORIST SHALL EVALUATE THE PROPOSED EXCAVATION TO DETERMINE METHODS TO MINIMIZE DAMAGES TO TREES. ROOT PRUNING SHALL BE DIRECTED AND DOCUMENTED BY THE PROJECT ARBORIST.
7. LANDSCAPING. FOLLOWING CONSTRUCTION AND WHERE LANDSCAPING IS DESIRED, APPLICABLE APPROVED TREE SPECIFICATIONS SHALL BE USED. TREES SHALL BE PLANTED IN A MINIMUM 5-FOOT RADIUS AROUND TREE TRUNKS; DO NOT PILE MULCH DIRECTLY AGAINST TREE TRUNKS. SHRUBS AND GROUND COVER PLANTS MAY BE PLANTED WITHIN THE GRASS-FREE MULCH RINGS. IF IRRIGATION IS USED, USE DRIP IRRIGATION OR LOW FLOW EMITTERS INSTALLED AT NATIVE GRADE (NO TRENCING) ONLY BENEATH THE DRUPLINES OF PROTECTED TREES. LANDSCAPING SHALL BE PERFORMED BY HANDS WITH HAND TOOLS ON BENEATH PROTECTED TREE DRUPLINES; ADJUST THE LOCATION OF PLANTS TO AVOID TREE TRUNKS.
8. QUALITY ASSURANCE. A QUALIFIED ARBORIST SHOULD SUPERVISE PROPER EXECUTION OF THIS PLAN ON-CALL DURING CONSTRUCTION ACTIVITIES THAT COULD ENDOANGR ON RETAINED TREES. TREE PROTECTION SITE INSPECTION MONITORING REPORTS SHOULD BE PROVIDED TO THE CLIENT AND CITY FOLLOWING EACH SITE VISIT PERFORMED DURING CONSTRUCTION.
9. REASSESSMENT. TREES THAT ARE RETAINED WITH SITE IMPROVEMENT WORK SHOULD BE REASSESSSED IN TERMS OF FUTURE HOPE PLANS; ADDITIONAL TREE REMOVAL OR ALTERNATIVE TREE PROTECTION MEASURES MAY BE NEEDED.

Date and Signature of Planner
06/27/2022 12:23:32 PM



32



4750	OAK	22	
------	-----	----	--

4856	FIR	16	
4857	FIR	16	

5521	OAK	16	REMOVE
5546	OAK	24	REMOVE

PLANNING ACTION
APPROVED SUBJECT TO
DEVELOPMENT REQUIREMENTS
NOTED ON PLANS.


Date and Signature of Planner
06/27/2022 12:23:42 PM

Green highlight = Tree to be saved

- ## LEGEND

HISTORIC WHITE OAK TO BE REMOVED





TREE #	SPECIES	DBH*	REMOVE
3226	OAK	12	REMOVE
3227	OAK (x2)	12	REMOVE
3228	OAK	34	REMOVE
3229	OAK	12	REMOVE
3230	OAK	10	REMOVE
3232	OAK	16	REMOVE
3233	OAK	12	REMOVE
3235	OAK (x2)	12	REMOVE
3238	OAK	16	REMOVE
3240	OAK	10	REMOVE
3241	OAK (x2)	16	REMOVE
3242	OAK (x3)	25	REMOVE
3243	OAK (x3)	24	REMOVE
3244	OAK (x5)	14	
3245	OAK	14	
3246	OAK (x2)	16	
3247	OAK	25	
3248	OAK	18	
3249	OAK (x2)	12	
3250	OAK	18	
3251	OAK	29	
3252	OAK	14	REMOVE
3254	OAK	10	REMOVE
3256	OAK	10	REMOVE
3259	OAK	12	REMOVE
3260	OAK	14	REMOVE
3261	OAK (x3)	12	REMOVE
3262	OAK	10	REMOVE
3263	OAK (x3)	10	REMOVE
3264	OAK	10	REMOVE
3265	OAK	16	REMOVE
3266	OAK	16	
3267	OAK	10	
3268	OAK	16	REMOVE
3269	OAK	10	REMOVE
3270	OAK	18	REMOVE
3271	OAK (x3)	12	REMOVE
3272	OAK (x2)	12	
3273	OAK	18	
3274	OAK	10	
3275	OAK (x2)	18	
3276	OAK	12	
3277	OAK	27	
3278	OAK	10	
3280	OAK	18	
3281	OAK (x2)	16	
4466	OAK	30	
4467	OAK	18	
4468	OAK	31	
4469	OAK	28	
4470	OAK	29	
4471	FIR	36	
4472	OAK	29	
4473	OAK	25	
4474	OAK	14	
4500	OAK	37	
4565	OAK	18	
4566	FIR	36	
4567	OAK	14	
4568	FIR	16	
4569	OAK	25	
4570	OAK	14	
4571	OAK	25	
4572	OAK	23	
4573	OAK	16	
4574	OAK	35	
4575	OAK	28	
4576	OAK	20	
4577	OAK	12	
4578	OAK	18	
4579	OAK	14	
4580	OAK	18	
4581	OAK	14	
4582	OAK	14	
4583	OAK	12	
4584	OAK	10	
4585	OAK	12	
4586	OAK	16	
4587	OAK	12	
4589	OAK (x2)	12	
4590	OAK (x2)	16	
4594	FIR	18	REMOVE
4595	FIR	18	REMOVE
4596	FIR	20	REMOVE
4597	FIR	22	REMOVE
4598	FIR	20	REMOVE
4599	FIR	18	REMOVE
4600	FIR	20	REMOVE

DBH* DIAMETER AT BREAST HEIGHT, INCHES.

	INDICATES OFFSITE TREE, OR TREE NOT LOCATED WITHIN PROJECT AREA. NOT INCLUDED IN TREE PRESERVATION COUNT.
	INDICATES TREE LOCATED WITHIN AREA TO REMAIN. INCLUDED IN TREE PRESERVATION COUNT.

[illegible]


EMERIO
ENGINEERING • SURVEYING • DESIGN

2867 WILLAMETTE ROAD, SUITE 1A
EUGENE, OREGON 97401
TEL: (503) 742-8612
FAX: (503) 639-9592
www.emeriodesign.com

REGISTERED PROFESSIONAL
PRELIMINARY
NOT FOR
CONSTRUCTION
KOWALSKI & HAWKINS
EXP. 06/30/2023

SHEET
P3.3
OF
32

FILE P: \0742-003 Meyer Farm\dwg\plan\Exhibits\Tree Assessment\0742-003_P3.3\rep. Layout: P3.3 - TREE PRESERVATION SW. Plot Date: 1/31/2022 3:19 PM. by: Roy Hankins



- TREE PROTECTION SPECIFICATIONS**
- PRECONSTRUCTION CONFERENCE. PRIOR TO THE START OF CONSTRUCTION ACTIVITY, THE CONTRACTOR SHALL COORDINATE WITH THE PROJECT ARBORIST IN A TIMELY MANNER TO REVIEW THE TREE PROTECTION PLAN. VERIFY THAT TREES TO BE RETAINED ARE IDENTIFIED WITH NUMBERED TAGS ON THE GROUND, AND TO INSPECT AND VERIFY THE INSTALLATION OF TREE PROTECTION MEASURES.
 - FENCING. TREES TO REMAIN ON SITE SHALL BE PROTECTED BY INSTALLATION OF TREE PROTECTION FENCING AS DEPICTED ON SITE PLANS IN ORDER TO PREVENT INJURY TO TREE TRUNKS OR ROOTS, OR SOIL COMPACTION WITHIN THE TREE PROTECTION AREA. FENCES SHALL BE A MINIMUM 6-FOOT HIGH 2-INCH CHAIN LINK MESH SECURED TO METAL POSTS DRIVEN INTO THE GROUND. THE CONTRACTOR IS RESPONSIBLE FOR COORDINATING WITH THE PROJECT ARBORIST PRIOR TO OPENING, ADJUSTING OR REMOVING TREE PROTECTION FENCING.
 - TREE PROTECTION ZONE. WITHOUT AUTHORIZATION

- FROM THE PROJECT ARBORIST, NONE OF THE FOLLOWING SHALL OCCUR BENEATH THE DRIPLINE OF ANY PROTECTED TREE:
- GRADE CHANGE OR CUT AND FILL;
 - NEW IMPERVIOUS SURFACES;
 - UTILITY OR DRAINAGE FIELD PLACEMENT;
 - STAGING OR STORAGE OF MATERIALS AND EQUIPMENT; OR
 - VEHICLE MANEUVERING.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR CONTACTING THE PROJECT ARBORIST IN A TIMELY MANNER PRIOR TO WORKING BENEATH PROTECTED TREE DRIPLINES. ROOT PROTECTION ZONES MAY BE ENTERED FOR TASKS LIKE SURVEYING, MEASURING AND SAMPLING. FENCES MUST BE CLOSED UPON COMPLETION OF THESE TASKS.
- TREE AND STUMP REMOVAL. TREES TO BE REMOVED SHALL BE CLEARLY IDENTIFIED WITH TREE-MARKING

- PAINT OR OTHER METHODS APPROVED IN ADVANCE BY THE PROJECT ARBORIST. PROTECTION FENCING MAY BE TEMPORARILY OPENED IN TRACT B FOR REMOVAL OF TREES #6654 AND #6655, IN THE REAR OF LOT 3 FOR REMOVAL OF TREE #6248 AND #6376, IN THE REAR OF LOT 9 FOR REMOVAL OF TREE #50316 AND IN THE REAR OF LOT 10 FOR REMOVAL OF TREES #50398 AND #50399. WITHIN TREE PROTECTION ZONES, TREE REMOVAL SHALL BE PERFORMED WITH HAND TOOLS ONLY AND TREES SHALL BE DIRECTIONALLY FELLED OR SURGICALLY REMOVED TO AVOID DAMAGE TO REMAINING NEARBY TREES. THE STUMPS OF THESE PARTICULAR TREES SHALL REMAIN IN THE GROUND, BE REMOVED APPROXIMATELY 6-INCHES BELOW THE GROUND SURFACE USING A STUMP GRINDER, OR ELSE EXTRACTED FROM THE GROUND UNDER ARBORIST SUPERVISION.
- PRUNING. PRUNING MAY BE NEEDED TO PROVIDE OVERHEAD CLEARANCE AND TO REMOVE DEAD AND DEFECTIVE BRANCHES FOR SAFETY. THE PROJECT ARBORIST CAN HELP IDENTIFY WHERE PRUNING IS NECESSARY ONCE TREES RECOMMENDED FOR

- REMOVAL HAVE BEEN REMOVED AND THE SITE IS PREPARED FOR CONSTRUCTION. TREE REMOVAL AND PRUNING SHALL BE PERFORMED BY A QUALIFIED TREE SERVICE.
- EXCAVATION AND ROOT PRUNING. EXCAVATION BENEATH PROTECTED TREE DRIPLINES SHALL BE AVOIDED IF ALTERNATIVES ARE AVAILABLE. IF EXCAVATION IS UNAVOIDABLE, THE PROJECT ARBORIST SHALL EVALUATE THE PROPOSED EXCAVATION TO DETERMINE METHODS TO MINIMIZE IMPACTS TO TREES. ROOT PRUNING SHALL BE DIRECTED AND DOCUMENTED BY THE PROJECT ARBORIST.
 - LANDSCAPING. FOLLOWING CONSTRUCTION AND WHERE LANDSCAPING IS DESIRED, APPLY APPROXIMATELY 3-INCHES OF MULCH BENEATH THE DRIPLINE OF PROTECTED TREES IN A MINIMUM 5-FOOT RADIUS AROUND TREE TRUNKS; DO NOT PILE MULCH DIRECTLY AGAINST TREE TRUNKS. SHRUBS AND GROUND COVER PLANTS MAY BE PLANTED WITHIN THE GRASS-FREE MULCH RINGS. IF IRRIGATION IS USED, USE DRIP IRRIGATION OR LOW FLOW EMITTERS INSTALLED AT NATIVE GRADE (NO

- TRENCHING) ONLY BENEATH THE DRIPLINES OF PROTECTED TREES. LANDSCAPING SHALL BE PERFORMED BY HAND AND WITH HAND TOOLS ONLY BENEATH PROTECTED TREE DRIPLINES; ADJUST THE LOCATION OF PLANTS TO AVOID TREE ROOT IMPACTS.
- QUALITY ASSURANCE. A QUALIFIED ARBORIST SHOULD SUPERVISE PROPER EXECUTION OF THIS PLAN ON-CALL DURING CONSTRUCTION ACTIVITIES THAT COULD ENDOANGER OR RETAINED TREES. TREE PROTECTION SITE INSPECTION MONITORING REPORTS SHOULD BE PROVIDED TO THE CLIENT AND CITY FOLLOWING EACH SITE VISIT PERFORMED DURING CONSTRUCTION.
 - REASSESSMENT. TREES THAT ARE RETAINED WITH SITE IMPROVEMENT WORK SHOULD BE REASSESSED IN TERMS OF FUTURE HOME PLANS. ADDITIONAL TREE REMOVAL OR ALTERNATIVE TREE PROTECTION MEASURES MAY BE NEEDED.

LEGEND

- HISTORIC WHITE OAK TO REMAIN
- HISTORIC WHITE OAK TO BE REMOVED

TREE #	SPECIES	DBH*	REMOVE
1652	FIR	16	
1653	FIR	18	
1654	FIR	18	
1655	FIR	16	
1656	FIR	16	
1657	FIR	14	
1658	FIR	22	
1666	FIR	20	
1669	CEDAR	10	
1678	FIR	12	
1679	FIR	14	
1682	FIR	16	
1688	FIR	18	
1700	PINE	12	REMOVE
1791	FIR	36	
2620	PINE	12	REMOVE
2621	PINE	12	REMOVE
2622	PINE	10	REMOVE
2623	PINE	12	REMOVE
2624	PINE	10	REMOVE
2625	PINE	10	REMOVE
2626	PINE	12	REMOVE
2628	PINE	16	REMOVE
2631	PINE	12	REMOVE
2632	PINE	13	REMOVE
2635	PINE	12	REMOVE
2636	PINE	12	REMOVE
2637	PINE	16	REMOVE
2638	PINE	16	REMOVE
2639	PINE	10	REMOVE
2642	PINE	12	REMOVE
2643	PINE	14	REMOVE
2644	FIR	32	
2646	PINE	18	REMOVE
2650	FIR	28	
2651	FIR	28	
2652	PINE	12	REMOVE
2654	OAK (x2)	15	
2655	PINE	11	REMOVE
2657	PINE	18	REMOVE
2658	PINE	12	REMOVE
2659	PINE	12	REMOVE
2661	PINE	12	REMOVE
2663	PINE	12	REMOVE
2664	PINE	12	REMOVE
2665	PINE	13	REMOVE
2666	PINE	13	REMOVE
2670	PINE	18	REMOVE
2671	PINE	10	REMOVE
2672	PINE	10	REMOVE
2673	PINE	10	REMOVE
2674	PINE	16	REMOVE
2676	PINE	14	REMOVE
2677	PINE	11	REMOVE
2678	PINE	12	REMOVE
2679	PINE	10	REMOVE
2680	PINE	18	REMOVE
2681	PINE	10	REMOVE
2682	PINE	12	REMOVE
2683	PINE	14	REMOVE
2684	PINE	16	REMOVE
2685	PINE	18	REMOVE
2687	PINE	14	REMOVE
2688	PINE	18	REMOVE
2689	PINE	12	REMOVE
2690	PINE	16	REMOVE
2691	PINE	12	REMOVE
2692	PINE	10	REMOVE
2693	PINE	14	REMOVE
2694	PINE	10	REMOVE
2695	PINE	16	REMOVE
2696	PINE	10	REMOVE
2697	FIR	18	

TREE #	SPECIES	DBH*	REMOVE
2699	FIR	22	
2700	FIR	34	
2701	FIR	48	
2702	FIR	28	
2703	FIR	24	
2704	FIR	42	
2705	FIR	28	
2706	FIR	28	
2707	FIR	26	
2708	FIR	40	
2709	FIR	14	
2710	FIR	32	
2713	FIR	12	
2714	FIR	28	
2716	FIR	28	
2717	FIR	32	
2718	FIR	40	
2719	FIR	28	
2720	FIR	28	
2721	FIR	32	
2722	FIR	44	
2723	FIR	40	
2724	FIR	48	
2725	FIR	22	
2726	FIR	24	
2727	OAK	38	
2728	OAK	16	
2729	OAK	24	
2730	OAK	18	
2731	OAK	12	
2732	FIR	30	
2733	OAK	14	
2734	OAK	14	
2735	FIR	30	
2736	FIR	18	
2737	FIR	14	
2738	FIR	30	
2739	OAK	24	
2740	FIR	22	
2741	FIR	12	
2742	FIR	12	
2743	FIR	28	
2744	FIR	24	
2745	FIR	23	
2746	FIR	14	
2749	FIR	16	
2750	FIR	30	
2751	FIR	32	
2752	FIR	24	
2753	PINE	14	REMOVE
2754	PINE	10	REMOVE
2756	FIR	40	
2757	FIR	32	
2758	FIR	32	
2759	FIR	32	
2760	FIR	30	
2761	FIR	16	
2762	FIR	22	
2763	FIR	36	
2764	FIR	52	
2765	PINE	12	
2769	FIR	22	
2770	PINE	16	
2771	FIR	16	
2772	FIR	16	
2773	FIR	14	
2774	FIR	16	
2775	FIR	10	
2776	FIR	12	
2777	FIR	12	
2778	FIR	26	
2779	FIR	26	
2780	FIR	30	
2781	BIRCH	12	
2782	OAK	14	
2783	OAK (x3)	14	
2784	OAK	18	
2785	OAK	10	
2786	OAK	24	
2787	OAK	10	
2788	OAK	10	
2789	OAK	18	
2790	OAK	26	
2791	OAK	27	
2792	OAK	27	
2793	OAK	27	
2794	OAK	27	
2795	OAK	27	
2796	OAK	27	
2797	OAK	27	
2798	OAK	27	
2799	OAK	27	
2800	OAK	27	
2801	OAK	27	
2802	OAK	27	
2803	OAK	27	
2804	OAK	27	
2805	OAK	27	
2806	OAK	27	
2807	OAK	27	
2808	OAK	27	
2809	OAK	27	
2810	OAK	27	
2811	OAK	27	
2812	OAK	27	
2813	OAK	27	
2814	OAK	27	
2815	OAK	27	
2816	OAK	27	
2817	OAK	27	
2818	OAK	27	
2819	OAK	27	
2820	OAK	27	
2821	OAK	27	
2822	OAK	27	
2823	OAK	27	
2824	OAK	27	
2825	OAK	27	
2826	OAK	27	
2827	OAK	27	
2828	OAK	27	
2829	OAK	27	
2830	OAK	27	
2831	OAK	27	
2832	OAK	27	
2833	OAK	27	
2834	OAK	27	
2835	OAK	27	
2836	OAK	27	
2837	OAK	27	
2838	OAK	27	
2839	OAK	27	
2840	OAK	27	
2841	OAK	27	
2842	OAK	27	
2843	OAK	27	
2844	OAK	27	
2845	OAK	27	
2846	OAK	27	
2847	OAK	27	
2848	OAK	27	
2849	OAK	27	
2850	OAK	27	
2851	OAK	27	
2852	OAK	27	
2853	OAK	27	
2854	OAK	27	
2855	OAK	27	
2856	OAK	27	
2857	OAK	27	
2858	OAK	27	
2859	OAK	27	
2860	OAK	27	
2861	OAK	27	
2862	OAK	27	
2863	OAK	27	
2864	OAK	27	
2865	OAK	27	
2866	OAK	27	
2867	OAK	27	
2868	OAK	27	
2869	OAK	27	
2870	OAK	27	
2871	OAK	27	
2872	OAK	27	
2873	OAK	27	
2874	OAK	27	
2875	OAK	27	
2876	OAK	27	
2877	OAK	27	
2878	OAK	27	
2879	OAK	27	
2880	OAK	27	
2881	OAK	27	
2882	OAK	27	
2883	OAK	27	
2884	OAK	27	
2885	OAK	27	
2886	OAK	27	
2887	OAK	27	
2888	OAK	27	
2889	OAK	27	
2890	OAK	27	
2891	OAK	27	
2892	OAK	27	
2893	OAK	27	
2894	OAK	27	
2895	OAK	27	
2896	OAK	27	
2897	OAK	27	
2898	OAK	27	
2899	OAK	27	
2900	OAK	27	
2901	OAK	27	
2902	OAK	27	
2903	OAK	27	
2904	OAK	27	
2905	OAK	27	
2906	OAK	27	
2907	OAK	27	
2908	OAK	27	
2909	OAK	27	
2910	OAK	27	
2911	OAK	27	
2912	OAK	27	
2913	OAK	27	
2914	OAK	27	
2915	OAK	27	
2916	OAK	27	
2917	OAK	27	
2918	OAK	27	
2919	OAK	27	
2920	OAK	27	
2921	OAK	27	
2922	OAK	27	
2923	OAK	27	
2924	OAK	27	
2925	OAK	27	
2926	OAK	27	
2927	OAK	27	
2928	OAK	27	
2929	OAK	27	
2930	OAK	27	
2931	OAK	27	
2932	OAK	27	
2933	OAK	27	
2934	OAK	27	
2935	OAK	27	
2936	OAK	27	
2937	OAK	27	
2938	OAK	27	
2939	OAK	27	
2940	OAK	27	
2941	OAK	27	
2942	OAK	27	
2943	OAK	27	
2944	OAK	27	
2945	OAK	27	
2946	OAK	27	
2947	OAK	27	
2948	OAK	27	
2949	OAK	27	
2950	OAK	27	
2951	OAK	27	
2952	OAK	27	
2953	OAK	27	
2954	OAK	27	
2955	OAK	27	
2956	OAK	27	
2957	OAK	27	
2958	OAK	27	
2959	OAK	27	
2960	OAK	27	
2961	OAK	27	
2962	OAK	27	
2963	OAK	27	
2964	OAK	27	
2965	OAK	27	
2966	OAK	27	
2967	OAK	27	
2968	OAK	27	
2969	OAK	27	
2970	OAK	27	



4540 PRINGLE RD SE
TAX MAP - 3000 & 3002
TAX MAP - 083W11BC
SW1/4 NW1/4 SEC11 T8S R3W W.M.
SALEM, OREGON

TENTATIVE PLAT PH1

REVISIONS	
NO.	DATE

EMERIO
ENGINEERING • SURVEYING • DESIGN
1500 VALLEY RIVER DRIVE, SUITE 100
EUGENE, OREGON 97401
TEL: (503) 748-5812
FAX: (503) 639-9592
www.emeriodesign.com

PRELIMINARY
NOT FOR CONSTRUCTION
HAWKINS
EXPIRES: 9/30/2023

SHEET
11
OF
74

Exhibit 1

FILE P:\0883-004 Meyer Form - Salem\mg\low\EXHIBITS\20220304 - Revised Lot Layout\120220304 - Meyer Form - Revised Original Lot Layout, Layout: 11 TENTATIVE PLAT PH1, Plot Date: 3/8/2022 12:40 PM, by: Ian Fellis