



|                                                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------|
| <b>TABLE 610.4</b><br>235.5 WSFU @ OVER 60 PSI @ 215LF<br>DEVELOPED LENGTH<br>1-1/2" METER WITH 2" BUILDING SUPPLY MAIN |
|-------------------------------------------------------------------------------------------------------------------------|

|                                                         |
|---------------------------------------------------------|
| <b>TABLE 703.2</b><br>222 DFU = USE 6" MAIN FOR 120 DFU |
|---------------------------------------------------------|

|                                                                                           |
|-------------------------------------------------------------------------------------------|
| <b>FIRE FLOW</b><br>1320 SF x 32' HT = 42,240 SF/100 = 422.4 GPM<br>x (3) BLDG = 1267 GPM |
|-------------------------------------------------------------------------------------------|



NEW APARTMENTS FOR  
SARVANDO GARCIA  
17th and OAK, SALEM OR 97308

DATE: 9-9-2021  
DRAWN: AK  
JOB NO.: 2159

**SPR-3**

P:\2159 Servando Garcia 17th and Oak apts\SPR-3\SPR-3 rev.dwg, SPR-3-UTILITY, 9/12/2022 4:11:12 PM, Andy, 1:1

100-YEAR  
FLOOD  
PLAIN  
ZONE-AE

17th ST SE

Oak ST SE

RM2

RM2

RS

RS

**PRELIMINARY  
UTILITY PLAN**



SCALE : 1" = 30'

