

1 REFLECTED CEILING PLAN
SCALE: 1/4" = 1'-0"

LIGHTING & ELECTRICAL LEGEND	
	DUPLEX OUTLET - WALL MOUNTED
	DUPLEX OUTLET - GROUND FAULT CURRENT INTERRUPTED
	FIRE ALARM/ STROBE - SEE ACCESSIBILITY SHEETS FOR MOUNTING HEIGHT
	ILLUMINATED EXIT SIGN - SHADED QUADRANT INDICATES FACES
	BATHROOM FAN
	LAY-IN LED CENTER BASKET LUMINAIRE
	LUMINAIRE SHADING INDICATES EMERGENCY/BATTERY BACKUP
	SINGLE POLE SWITCH
	THREE WAY SWITCH
	DIMMER SWITCH


NOTES

1. (N) HIGH NRC ACOUSTIC TILE CEILING TO MEET ENHANCED CLASSROOM ACOUSTICS PRESCRIPTIVE PATH ICC A117.1 808.2.2 - SEE SPECS.
2. (E) EXTERIOR LIGHT TO REMAIN.
3. (N) SKYLIGHT WELL & SKYLIGHTS - SEE DETAILS & SPECS.
4. PROVIDE (N) HVAC SUPPLY AND RETURN GRILLES - COORDINATE LOCATION W/ ARCHITECT.
5. LUMINAIRE MODEL OF REFERENCE: COOPER METALUX CRUZE ST W/ ADJUSTABLE COLOR TEMP AND LUMEN.
6. PROVIDE (N) EXTERIOR LIGHTING AS REQ'D @ EXTERIOR DOORS TYP.

Wallace Rd Head Start
1205 Wallace Rd NW
Salem, OR 97304

CONSULTANTS

CD	03/20/2023	REV. DRAFT CDS
Mark	Date	Description



DATE:	03/23/2023
ISSUE TITLE:	PERMIT SET
SCALE:	As Noted

RCP