

Building and Safety

PAC: (503) 588-6256
Inspections: (503) 588-6256
Fax: (503) 588-6115

**City Hall**

555 Liberty St SE
Room 320
Salem, OR 97301-3503

MACDONALD MILLER FACILITY SOLUTIONS
12911 NE AIRPORT WY
PORTLAND OR 97230

Plumbing Seq #: 24-110344-P
Date Issued: May 24, 2024

Job Site Address: 250 WINTER ST SE **Project Name:** 250 WINTER STREET SE
Description of Work: Commercial - Alteration - GENERAL: REPLACE EXISTING STEAM HEAT EXCHANGER AND STORAGE TANK WITH NEW GAS FIRED WATER HEATERS, HOT WATER STORAGE TANK AND MIXING VALVE STATION.; 1. REMOVE ALL PIPING AND ACCESSORIES ON POTABLE WATER SIDE OF STEAM CONVERTERS.; 2. INSTALL NEW GAS FIRE WATER HEATERS, WATER STORAGE TANK, MASTER MIXING STATION, CIRCULATING PUMP AND ASSOCIATED PIPING AND ACCESSORIES.

Owner: **Contractor:**
MACDONALD MILLER FACILITY SOLUTIONS
12911 NE AIRPORT WY
PORTLAND OR 97230
WORK: (206) 768-4062
CELLULAR: (206) 755-2954

Info:

In City Limits?: Yes	Contractors' Construction Board #: 232943	Plumbing Review Reason: Water service line
Journeyman License #: 7169JP	Plumbing Contractor's License #: PB2435	with interior diameter of 2 inches or larger
Historic Zone: No	Historic Building - New exterior openings?: No	Historic Building: Yes
Historic Building - Work visible from street?: No		Historic Building - New exterior equipment?: No

Fixtures:

1	Ejectors/Sump	3	Other fixtures or items not named above (i.e. Pressure regulator)
---	---------------	---	---

This permit application expires if a permit is not obtained within 180 days after it has been accepted as complete. This permit expires if work or construction authorized is not commenced within 180 days, or if construction or work is suspended or abandoned for a period of 180 days at any time after work has commenced. Issued permits are not eligible for a refund if work has not had any activity or extension request within 180 days.